



# Prairie Mud Service

"Serving Western Canada with 24 Hour Drilling Mud Service"

ALUMINUM STEARATE

## SECTION I: IDENTIFICATION OF PRODUCT

COMPANY: **Diversity Technologies Corp.** DATE: **January 9, 2015**  
**8750 – 53<sup>rd</sup> Ave.** PHONE: **780-440-4923**  
**Edmonton, AB T6E 5G2** FAX: **780-469-1899**

PRODUCT NAME: **Aluminum Stearate**

PRODUCT USE: Oilwell drilling fluid additive  
CHEMICAL FAMILY: Metal fatty acid salt CAS #: 72986-43-7

## WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM (WHMIS)

WHMIS CLASSIFICATION: Not a controlled product under WHMIS  
WORKPLACE HAZARD: Treat as a nuisance dust

## TRANSPORTATION OF DANGEROUS GOODS (TDG)

PROPER SHIPPING NAME: Not regulated under TDG  
TDG CLASSIFICATION: Not applicable  
UN NUMBER (PIN): Not applicable  
PACKING GROUP: Not applicable

## SECTION II: HAZARDOUS INGREDIENTS

INGREDIENT	% (w/w)	CAS NUMBER	LD <sub>50</sub> Oral-Rat	LC <sub>50</sub> Inhal-Rat	ACGIH-TLV
Contains no WHMIS controlled ingredients					

## SECTION III: HEALTH HAZARDS

ROUTE OF ENTRY:  EYE CONTACT  SKIN CONTACT  INHALATION  INGESTION  
EYE CONTACT: May cause mechanical irritation.  
SKIN CONTACT: Not expected to be a skin irritant.  
INGESTION: Possible gastric upset.  
INHALATION: Possible respiratory difficulty in very dusty operations. Prolonged aspiration of large amounts could cause pulmonary damage.  
CARCINOGENICITY: No information available.  
TERATOGENICITY: No information available.  
REPRODUCTIVE TOXICITY: No information available.  
MUTAGENICITY: No information available.  
SYNERGISTIC PRODUCTS: No information available.



# Prairie Mud Service

"Serving Western Canada with 24 Hour Drilling Mud Service"

## SECTION IV: FIRST AID MEASURES

SKIN CONTACT:	Wash thoroughly with soap and water. If irritation persists or develops, obtain medical attention.
EYE CONTACT:	Flush with gently flowing warm water for 5 minutes, or until irritation subsides. If irritation persists, obtain medical attention.
INGESTION:	Rinse mouth with water. Drink plenty of water. If a significant amount is swallowed, or symptoms develop, obtain medical attention.
INHALATION:	Move patient to a fresh air, away from dusty environment. Apply oxygen or artificial respiration if required. If breathing difficulties or distress continues obtain medical attention.

## SECTION V: PHYSICAL DATA

APPEARANCE AND ODOUR:	White powder; slight odour
SPECIFIC GRAVITY:	Not available
BOILING POINT (°C):	Not available
MELTING POINT (°C):	140 - 160
SOLUBILITY IN WATER:	Negligible
PERCENT VOLATILE BY VOLUME:	1% by weight (moisture)
EVAPORATION RATE:	Not applicable
VAPOUR PRESSURE (mmHg):	Not applicable
VAPOUR DENSITY (air = 1):	Not applicable
BULK DENSITY:	0.21 g/cc (typical)
	pH: 3 - 4 (5% Dispersion in water)

## SECTION VI: FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:	160°C (PMCC)
FLAMMABLE LIMITS:	Not applicable
EXTINGUISHING MEDIA:	CO <sub>2</sub> , foam, dry chemical, water (fog or mist).
SPECIAL FIRE FIGHTING PROCEDURES:	Self-contained breathing apparatus required for fire-fighting personnel. Move containers from fire area, or cool with water spray, if possible.
UNUSUAL FIRE AND EXPLOSION HAZARDS:	High concentrations of airborne dust may present and explosion hazard. This material can burn under fire conditions.
HAZARDOUS COMBUSTION PRODUCTS:	Oxides of carbon, metal oxide fumes.



# Prairie Mud Service

*"Serving Western Canada with 24 Hour Drilling Mud Service"*

## SECTION VII: REACTIVITY DATA

STABILITY:	<input checked="" type="checkbox"/> STABLE	<input type="checkbox"/> UNSTABLE
INCOMPATIBILITY (CONDITIONS TO AVOID):	Avoid contact with strong acids and oxidizers. Keep away from heat, flames, sparks, etc., under dusty conditions	
CONDITIONS OF REACTIVITY:	Contact with incompatible materials.	
HAZARDOUS DECOMPOSITION PRODUCTS:	Not available.	
HAZARDOUS POLYMERIZATION:	<input checked="" type="checkbox"/> WILL NOT OCCUR	<input type="checkbox"/> MAY OCCUR

## SECTION VIII: PREVENTIVE MEASURES

### SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION:	Suggest NIOSH approved dust mask for general handling. Use approved respirator with dust cartridges if TLV is exceeded. ACGIH TWA-TLV = 10 mg/m <sup>3</sup> .
VENTILATION:	Use in well ventilated area. Use local exhaust ventilation, process enclosure or other engineering controls as necessary to maintain airborne dust below TLV.
PROTECTIVE GLOVES:	Impermeable gloves are recommended if there is an existing skin disorder.
EYE PROTECTION:	Use safety glasses or chemical goggles
OTHER PROTECTIVE EQUIPMENT (SPECIFY):	As required to minimize contact with skin. Ensure eyewash station and emergency shower are available.

### PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Avoid contact with skin and eyes. Avoid inhalation and ingestion. Wash thoroughly after handling. Launder contaminated clothing before reuse. Possibility of explosion exists under dusty conditions. Keep away from heat and open flame. Store in cool, dry area away from incompatible materials. Keep container tightly closed when not in use.

### STEPS TO BE TAKEN IN CASE THE MATERIAL IS SPILLED OR RELEASED

Always wear suggested or required protective equipment. Sweep up and scoop to collect. Avoid creating dust clouds. Collect uncontaminated material for repackaging. Collect contaminated material in appropriate containers for disposal. Keep out of sewers, storm drains, surface waters, and soil.



# ***Prairie Mud Service***

*"Serving Western Canada with 24 Hour Drilling Mud Service"*

## **WASTE DISPOSAL METHOD**

Dispose of material in accordance with federal, provincial and local regulations. Landfill is suggested; check with local operator. It is the responsibility of the end-user to determine if material meets the criteria of hazardous waste at the time of disposal.

## **SECTION IX: PREPARATION**

The information contains herein is given in good faith, but no warranty, expressed or implied, is made.

DATE ISSUED: **January 9, 2015**  
SUPERSEDES: **January 11, 2012**  
BY: Regulatory Affairs  
PHONE: 780-440-4923