

**Spray Clean (SOLVTREAT 13585)**

Page 1 of 5

Substance key: 000000497750

Revision Date: 11/28/2014

Version : 2 - 1 / CDN

Date of printing :12/03/2014

**WHMIS controlled:**      yes  
**Class:**                      E  
                                      D2B

**Section 01 - Product and company identification**
**Identification of the company:**

 Clariant (Canada) Inc.  
 2 Lone Oak Court  
 Toronto, Ontario M9C 5R9,

**Information of the substance/preparation:**

 ESHA  
 Phone (514) 832 2559, Fax (704) 330  
 1505 [Canada.PS@Clariant.com](mailto:Canada.PS@Clariant.com)
**Emergency tel. number:** +1 800-424-9300 CHEMTREC, +1  
 (703) 527-3887 INTERNATIONAL

**Trade name:**                **SOLVTREAT 13585**  
**Material number:**        281013

**Primary product use:**     Surfactant

**Section 02 - Hazards identification**
**Health effects of exposure:**

Risk of serious eye damage. Skin contact will cause irritation. Inhalation of vapours or mists may cause irritation to the respiratory tract.

Sodium metasilicate: the effects of long term exposure have not been determined.

Ethoxylated nonyl phenol: listed on the priority list 2 and considered an endocrine disruptor by environment canada.

2-Buthoxyethanol: teratology studies have shown that rats exposed at 300 ppm showed effects of maternal and embryo lethality; at 200 ppm showed maternal toxicity, embryo toxicity and fetotoxicity; at 50 ppm showed no observed effect. Systemic effects observed in animals include hemo- lysis, liver abd kidney damage and pulmonary hemorrhage.

**Section 03 - Composition/information on ingredients**
**Hazardous ingredients:**

Component	CAS number	Concentration
Ethylene glycol monobutyl ether	111-76-2	3 - 7 %
Poly(oxy-1,2-ethanediyl), alpha-(nonylphenyl)-omega-hydroxy-	9016-45-9	3 - 7 %
Sodium metasilicate	6834-92-0	3 - 7 %
Trisodium orthophosphate	7601-54-9	1 - 5 %

**Component toxicity information:**

# MATERIAL SAFETY DATA SHEET

**SOLVTREAT 13585**

Page 2 of 5

Substance key: 000000497750

Revision Date: 11/28/2014

Version : 2 - 1 / CDN

Date of printing :12/03/2014

Ethylene glycol monobutyl ether ( 111-76-2 )

**Acute oral toxicity:** LD50 1,746 mg/kg (Rat)

Source: Supplier

**Acute inhalation toxicity:** LC50 (4 h, Rat (female))

Source: Supplier

**Acute dermal toxicity:** LD50 6,411 mg/kg (Pig)

Source: Supplier

Sodium metasilicate ( 6834-92-0 )

**Acute oral toxicity:** LD50 874 mg/kg (Rat)

## Section 04 - First aid measures

### After inhalation:

Move the victim to fresh air.

Give oxygen or artificial respiration if needed.

Get immediate medical advice/ attention.

Never give anything by mouth to an unconscious person.

### After contact with skin:

Remove contaminated clothing and wash affected areas with soap and plenty of water for at least 15 minutes. If redness or skin irritation occurs, seek medical attention.

### After contact with eyes:

Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.

### After ingestion:

If swallowed, DO NOT induce vomiting.

Get immediate medical advice/ attention.

### Advice to doctor / Treatment:

None known.

## Section 05 - Fire fighting measures

**Flashpoint:** > 93 °C

**Lower explosion limit:** Not applicable

**Upper explosion limit:** Not applicable

**Self ignition:** not tested.

**Extinguishing media:**  
water  
Alcohol-resistant foam  
Dry powder  
Carbon dioxide (CO<sub>2</sub>)

### Special fire fighting procedure:

Wear full protective clothing and self-contained breathing apparatus.

### Hazardous combustion products:

In case of fire hazardous decomposition products may be produced such as:

Carbon monoxide

Carbon dioxide (CO<sub>2</sub>)

Burning produces noxious and toxic fumes.

# MATERIAL SAFETY DATA SHEET

**SOLVTREAT 13585**

Page 3of 5

Substance key: 000000497750  
Version : 2 - 1 / CDN

Revision Date: 11/28/2014  
Date of printing :12/03/2014

## Section 06 - Accidental release measures

### Steps to be taken in case of spill or leak:

Contain spill and pump into proper containers using compatible equipment. Smaller spills may be recovered using inert absorbent material. Wash spill area. Wear prescribed protective gear.

## Section 07 - Handling and storage

### Advice on safe handling:

Do not get in eyes or mouth or on skin.  
Wash thoroughly after handling.

### Further info on storage conditions:

Keep containers tightly closed in a cool, well-ventilated place.

## Section 08 - Exposure controls / personal protection

### Occupational exposure limits:

Component	CAS number	Regulatory list	Type of value	Value 1	Value 2
2-Butoxyethanol EGBE	111-76-2	USA. ACGIH Threshold Limit Values (TLV)	8-hour, time- weighted average	20 ppm	

**Respiratory protection:** Wear an approved respirator when exposed to vapours or to mists beyond the TLV. Use appropriate filters. Do not exceed filters limitations. TLV = Threshold Limit Value

**Hand protection:** Butyl Rubber, PVC or Neoprene

**Eye protection:** Safety goggles  
Face-shield

**Other protective equipment:** Avoid skin contact.  
Wear suitable protective clothing.

## Section 09 - Physical and chemical properties

**Form:** Liquid  
**Color:** clear  
**pH:** 12.0 - 14.0  
**Density:** 1.02 - 1.06 g/cm<sup>3</sup>  
**Viscosity / (dynamic):** < 100 mPa.s

## Section 10 - Stability and reactivity

**Thermal decomposition:** No decomposition if used as directed.  
**Chemical stability:** Stable

# MATERIAL SAFETY DATA SHEET

**SOLVTREAT 13585**

Page 4 of 5

Substance key: 000000497750

Revision Date: 11/28/2014

Version : 2 - 1 / CDN

Date of printing :12/03/2014

**Hazardous Polymerization:** Hazardous polymerisation does not occur.

**Incompatibility with (Conditions to avoid) :** None known.

**Hazardous decomposition products** Carbon monoxide and carbon dioxide

## Section 11 - Toxicological information

**Acute oral toxicity:** The product has not been tested. The information is derived from the properties of the individual components., Harmful if swallowed.

**Skin irritation:** irritating  
The product has not been tested. The information is derived from the properties of the individual components.

**Eye irritation:** Risk of serious damage to eyes.  
The product has not been tested. The information is derived from the properties of the individual components.

## Section 12 - Ecological information

**Product information:**

**Remarks:**

The product should not be allowed to enter drains, water courses or the soil.

**Component information: 2-**

Butoxy ethanol ( 111-76-2 )

**Biodegradation:** 90.4 % (28 d)  
Readily biodegradable.  
Source: Supplier

**Fish toxicity:** LC50 1,474 mg/l (96 h, Oncorhynchus mykiss (rainbow trout))  
Source: Supplier

**Daphnia toxicity:** EC50 1,550 mg/l (48 h, Daphnia magna (Water flea))  
Source: Supplier

**Algae toxicity:** IC50 911 mg/l (72 h, Pseudokirchneriella subcapitata (microalgae))  
Source: Supplier

## Section 13 - Disposal considerations

**Waste disposal information:**

Consult local, state, and federal regulations.

## Section 14 - Transport information

TDG

not restricted

# MATERIAL SAFETY DATA SHEET

**SOLVTREAT 13585**

Page 5 of 5

Substance key: 000000497750

Revision Date: 11/28/2014

Version : 2 - 1 / CDN

Date of printing :12/03/2014

**IATA** not restricted

**IMDG** not restricted

## Section 15 - Regulatory information

### Registration status

DSL: yes

NDSL: no

All components of the product are listed on the DSL/Canada.

### CEPA

Listed as toxic substance: Listed

Listed as priority substance: Listed

**NPRI** Listed

## Section 16 - Other information

### WHMIS



Causes serious eye damage.  
Causes skin irritation.

---

The information contained on this MSDS is to the best of our knowledge an accurate summary of the data available as of the date of preparation. Clariant (Canada) Inc. is not liable for the application or use of this information in situations beyond its control or outside the normal and expected use of its product. Clariant (Canada) Inc. assumes no responsibility for damage or injury from the use of the product described herein.